

# SAFETY DATA SHEET

## Product Name:

# ULTRA DEEP CLEAN

# SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Company Name:

**Emergency Phone Numbers:** 

Distribution Company Name:

Ultra Durable Technologies, Inc. 1415 5<sup>th</sup> St N St. Cloud, MN 56303 (320) 258-2266, (800) 722-2998, (612) 919-6075 Same as above Product Name: SECTION 2 – HAZARDS INDENTIFICATION

#### **Classifications:**

Corrosive to metals: Category 1 Serious eye damage/irritation: Category 1 Acute toxicity: Category 4



**Signal Words:** Danger **Hazard Statements:** H290: May be corrosive to metals. H302: Harmful if swallowed. H318: Causes serious eye damage. **Precautionary statements:** Prevention: P234: Keep only in original container. P280: Wear eye or face protection. P264: Wash thoroughly after handling. P270: Do not eat, dřink, or smoke when using this product. **Response:** P391: Absorb spillage to prevent material damage. P301+312: IF SWALLOWED: Call Poison Center or a physician if you fee unwell. Rinse mouth. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and

easy to do – continue rinsing. Immediately call a Poison Center or physician. Storage:

P406: Store in a corrosive resistant container such as fiberglass, polyethylene, polypropylene or containers with a resistant inner liner. Disposal:

P501: Dispose of contents/ container in accordance with local/regional/national/international regulations.

## SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture: Mixture

Chemical Name		%	CAS Number
	Urea Monohydrochloride	50 - 100	506-89-8

The exact percentage of the composition has been withheld as it is a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.



# **SECTION 4 – FIRST AID MEASURES**

EYE CONTACT: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.

INHALATION: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SKIN CONTACT: Flush contaminated skin with plenty of water. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

INGESTION: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most Important Symptoms/Effects, Acute and Delayed

Potential Acute Health Effects

EYE CONTACT: Causes serious eye damage

INHALATION: Exposure to decomposition products may cause health hazard. Serious effects may be delayed following exposure.

SKIN CONTACT: Causes mild skin irritation

INGESTION: Harmful if swallowed. Irritating to mouth, throat and stomach

#### Over Exposure Signs/Symptoms

EYE CONTACT: Adverse symptoms may include the following: Pain or irritation, Watering, Redness INHALATION: No known significant effects or critical hazards.

SKIN CONTACT: Adverse symptoms may include the following: Irritation, Redness

INGESTION: Harmful if swallowed. Irritating to mouth, throat and stomach

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

NOTES TO PHYSICIAN: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SPECIFIC TREATMENTS: No specific treatment

**PROTECTION OF FIRST AIDERS:** No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

## **SECTION 5 – FIREFIGHTING MEASURES**

#### Extinguishing Media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media: None known

Specific Hazards Arising: At temperatures above 60°C/140°F acid action on most metals may release hydrogen, a highly flammable and explosive gas.



Hazardous thermal decomposition products: Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, hydrochloric acid

Special protective actions for fire-fighters: No special measures are required.

Special protective equipment for fire-fighters: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## **SECTION 6 – ENVIRONMENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

<u>Methods and Materials for Containment and Cleaning Up</u> Spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## **SECTION 7 – HANDLING AND STORAGE**

#### Precautions for Safe Handling

Protective Measures: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on General occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

Conditions for Safe storage, including any incompatibilities: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## **SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Control Parameters

Occupational Exposure Limits: None

Appropriate Engineering controls: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental Exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Individual Protection Measures



HYGIENE MEASURES: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

EYE/FACE PROTECTION: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

## Skin Protection

HAND PROTECTION: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

BODY PROTECTION: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

OTHER SKIN PROTECTION: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

RESPIRATORY PROTECTION: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

<u>Appearance</u>	
Physical State:	Liquid. [Clear]
Color:	Yellow
Odor:	Not available
Odor Threshold:	Not available
pH:	0.7 typical [as is]
Melting/Freezing Point:	< -30°C
Boiling Point/Range:	100°C (212°F)
Flash Point:	>93.3°C (>200°F)
Evaporation Rate:	>1 (Butyl acetate = 1)
Flammability (solid, gas):	Not available
Lower and Upper Explosive:	Not available
(flammable) Limits	
Vapor Pressure:	<0.013kPa (<0.1mmHg) [room temperature]
Vapor Density:	>1 [Air = 1]
Relative Density:	1.21 +/- 0.2
Solubility:	Easily soluble in the following materials: water
Partition Coefficient:	Not available
n-octanol/water	
Auto-Ignition Temperature:	Not available
Decomposition Temperature:	Not available
Viscosity:	Not available
,	

## **SECTION 10- STABILITY AND REACTIVITY**

Reactivity:	No specific test data related to reactivity available for this product or its ingredients
Chemical Stability:	The product is stable
Possibility of Hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	No specific data.
Incompatible Materials:	Reactive or incompatible with the following materials: oxidizing materials. This material



may be extremely hazardous in contact with chlorates and nitrates. Contact with hypochlorites (eg. Chlorine bleach, sulfides or cyanides) will liberate toxic gases. Contact with alkaline materials (eg. Aqua ammonia) will generate heat. Hazardous Decomposition: Under normal conditions of storage and use, hazardous decomposition products Products should not be produced.

# **SECTION 11- TOXICOLOGICAL INFORMATION**

#### Information on toxicological effects Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Ultra Deep Clean	LD50 Oral	rat	1120.9 mg/kg	-
Ultra Deep Clean LD50 Oral rat 1120.9 mg/kg -   Irritation/Corrosion: Mild skin irritant (OECD 404) Eye corrosive (OECD 405)   Sensitization: There is no data available   Carcinogenicity: No components are listed as carcinogens by IARC, ACGIH, OSHA or NTP.   Specific Target Organ Toxicity (single exposure): There is no data available   Specific Target Organ Toxicity (repeated exposure): There is no data available   Aspiration Hazard: There is no data available   Information on the likely routes of exposure: Dermal contact. Eye contact. Inhalation. Ingestion.   Potential Acute Health Effects   Eye contact: Causes serious eye damage   Inhalation: Exposure to decomposition products may cause a health hazard. Serious effects may bedelayed following exposure.   Skin Contact: Causes mild skin irritation.   Ingestion: Irritating to mouth, throat and stomach.   Symptoms related to the physical, chemical and toxicological characteristics   Eye Contact: Adverse symptoms may include the following: Pain or irritation, Watering Redness   Inhalation: No known significant effects or critical hazards.   Skin Contact: Adverse symptoms may include the following: irritation, redness				
Ingestion: No known significant effects or critical hazards. <u>Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure</u> Potential immediate effects: No known significant effects or critical hazards.				
Potential delayed effects: No known significant effects or critical hazards. <u>Long term exposure</u> Potential immediate effects: No known significant effects or critical hazards.				
Potential delayed effects: No known significant effects or critical hazards. Potential chronic health effects				
General: Carcinogenicity: Mutagenicity: Teratogenicity: Developmental effects: Fertility effects: <u>Numerical measures of toxicity</u>	No known sig Not Mutagen No known sig No known sig	mificant effects or cri mificant effects or cri ic (OECD 471) mificant effects or cri mificant effects or cri mificant effects or cri	tical hazards. tical hazards. tical hazards.	
Acute toxicity estimates	There is no da	ata available.		



# **SECTION 12- ECOLOGICAL INFORMATION**

#### Toxicity

Product/ingredient name	Result	Species	Exposure
BJSI	Acute LC50	Ceriodaphnia	48
BJSI	71mg/L Acute LC0	dubia Rainbow	hours

Persistence and Degradability:	There is no data available
Bioaccumulative Potential:	There is no data available
Mobility in Soil	
Soil/water partition coefficient:	Not available
(Кос)	

Other adverse effects: No known significant effects or critical hazards.

# **SECTION 13-DISPOSAL CONSIDERATIONS**

Disposal Methods: The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

	DOT	TDG	IMDG	IATA
UN Number	Not regulated	1760	1760	1760
UN Proper	-	Corrosive liquid	Corrosive liquid	Corrosive liquid
Shipping Name		N.O.S. (urea monohydrochloride)	N.O.S. (urea monohydrochloride)	N.O.S. (urea monohydrochloride)
Transport Hazard Class(es)	-	8	8	8
Packing Group	-	Ш	Ш	III
Environmental Hazards	No	No	No	No
Additional Information	Exempt under DOT 49 CFR 173.154 (d). This material is corrosive to aluminum only. Not corrosive to	This material is corrosive to aluminum only. Not corrosive to mild steel and skin	This material is corrosive to aluminum only. Not corrosive to mild steel and skin	This material is corrosive to aluminum only. Not corrosive to mild steel and skin

## **SECTION 14 - TRANSPORT INFORMATION**

Transport in bulk according: Not available To Annex II of MARPOL 73/78 and the IBC Code

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillageNOTE: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100-177, IMDG, IATA, EC, Canadian TDG, and United Nations TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.



## **SECTION 15- REGULATORY INFORMATION**

U.S. Federal Regulations: Clean Air Act Section 112:	United States Inventory (TSCA): All components are listed or exempted Not listed			
(b) Hazardous Air	Not listed			
Pollutants (HAPS)				
Clean Air Act Section 602:	Not			
listed				
Class I Substances				
Clean Air Act Section 602:	Not			
listed				
Class II Substances				
DEA List I Chemicals:	Not			
listed				
(Precursor Chemicals)				
DEA List II Chemicals:	Not			
listed				
(Essential Chemicals)				

#### SARA 302/304

Composition/Information on Ingredients Not listed

SARA 311/312 Classification: Immediate (acute) health hazard

#### Composition/Information on Ingredients

Name	%	Fire Hazard	Sudden Release of Pressure	Reactive	Immediate (acute) Health	Delayed (chronic) Health
					Hazard	Hazard
Urea Monohydrochloride	50-100	No	No	No	Yes	No

#### International Lists National Inventory

Australia (AICS):	All components are listed or exempted.
Canada (DSL):	All components are listed or exempted.
China (IECSC):	All components are listed or exempted.
Europe (EINECS):	All components are listed or exempted.
Japan (ENCS):	All components are listed or exempted.
New Zealand (NZIoC):	All components are listed or exempted.
Philippines (PICCS):	All components are listed or exempted.
Republic of Korea (KECL): A	All components are listed or exempted.
Taiwan (NECI): All c	omponents are listed or exempted.

## **SECTION 16 - OTHER INFORMATION**

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to Ultra Durable Technologies as described in Section 1.